Carsonite AcoustaShield™ Sound Barriers

How to Order:

Contact your representative or visit www.carsonite.com to request more information and an AcoustaShield information packet.

- Meets AASHTO and DOT sound wall guidelines
- ► Low maintenance over life of product
- Wide variety of colors available
- Spans up to 18 feet
- Grafiti resistant
- ▶ Lightweight, easily installed with minimal equipment
- Non-conductive fiberglass supports and panels

Effective against noise and light pollution

Carsonite's AcoustaShield Sound Barrier provides noise abatement along transportation corridors, as well as other applications requiring long-term outdoor durability, vandal resistance and ease of construction.

Easily customized, the system lets you design your sound barrier to fit your specific needs. Choose from unfilled, recycled-rubber filled, or absorptive options. These lightweight panels can be installed by a small crew without the use of heavy lifting equipment. The flame retardant panels can be easily cut in the field if on-site adjustments are needed. For applications under 15' in height, inquire about our fiberglass uprights.

Material: Fiberglass composite




| Acoustical Ratings | | | |
|--------------------|----------------------------|-------------------------|---------------------------|
| | AcoustShield Absorptive | AcoustaShield Filled | AcoustaShield Unfilled |
| STC Rating | 28 | 37 | 28 |
| NRC Value | .95 | .15 | .20 |




At only 5 to 7 pounds per square foot, AcoustaShield does not add unnecessary weight to bridge structures.













Carsonite AcoustaShield™ Sound Barriers



Carsonite sound barrier planks are adjustable and can be cut in the field.

A two-person crew can install 180 square feet in less than five minutes after uprights are set.





Beautify the busiest of highways.